



PRODUCT CATALOG

evren[®]

GAS ARMATURES INDUSTRY & TRADE CO.

ABOUT US

Evren Gas Armatures Industry and Trade Co. was established in 1961 in Istanbul. Advanced machine and with its staff, it has always been a leading company in the manufacture of all kinds of gas armatures.

The products of our company are produced under the EVREN brand in accordance with TSE standards. In addition, our customers' special orders in our company perfectly and in the desired way is being prepared. Domestic and international product demands are met with 100% customer satisfaction in accordance with the standarts.

As EVREN brand, we always to produce the best quality gas armatures for you will continue to be our goal.

Best Regards

evren[®]

GAS ARMATURES INDUSTRY & TRADE CO.

CONTENTS

01-11

PRESSURE REGULATORS

FLASHBACK ARRESTORS

12-13

14-23

WELDING, CUTTING & HEATING TORCHES

OXYGEN - PROPANE WELDING SETS

24-25

26-29

PROPANE HEATING TORCHES

**NATURAL GAS WELDING,
CUTTING & HEATING TORCHES**

30-34

®

PRESSURE REGULATORS



evnen®

GAS ARMATURES INDUSTRY & TRADE CO.



A TYPE PRESSURE REGULATORS

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
600	Oxygen	G 3/4"	G 3/8"	0-230 bar	0-10 bar	30 m3/h
601	Acetylene	W23x1/18"	G 3/8" Left	0-25 bar	0-1,5 bar	5 m3/h
611	Acetylene	Clamp	G 3/8" Left	0-25 bar	0-1,5 bar	5 m3/h
602	Argon - Mix	G 5/8" Outside	G 1/4"	0-230 bar	-	0-25 L/min
603	Nitrogen	G 5/8" Outside	G 3/8"	0-230 bar	0-10 bar	30 m3/h
604	CO2	W21,80x1/14"	G 1/4"	0-230 bar	-	0-25 L/min
614	Helium	G 5/8" Outside	G 3/8"	0-230 bar	0-10 bar	70 m3/h
615	Hydrogen	W21,80x1/14" Left	G 3/8" Left	0-230 bar	0-10 bar	90 m3/h
616	Dry Air	G 5/8" Outside	G 3/8"	0-230 bar	0-10 bar	30 m3/h
617	Methane	W21,80x1/14" Left	G 3/8" Left	0-230 bar	0-10 bar	40 m3/h

600



C TYPE PRESSURE REGULATORS

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
620	Oxygen	G 3/4"	G 1/4"	0-230 bar	0-10 bar	30 m3/h
621	Acetylene	W23x1/18"	G 1/4"	0-25 bar	0-1,5 bar	5 m3/h
622	Argon - Mix	G 5/8" Outside	G 1/4"	0-230 bar	-	0-25 L/min
623	Nitrogen	G 5/8" Outside	G 1/4"	0-230 bar	0-10 bar	30 m3/h
624	CO2	W21,80x1/14"	G 1/4"	0-230 bar	-	0-25 L/min
625	Helium	G 5/8" Outside	G 1/4"	0-230 bar	0-10 bar	70 m3/h
626	Hydrogen	W21,80x1/14" Left	G 1/4"	0-230 bar	0-10 bar	90 m3/h
627	Dry Air	G 5/8" Outside	G 1/4"	0-230 bar	0-10 bar	30 m3/h
628	Methane	W21,80x1/14" Left	G 1/4"	0-230 bar	0-10 bar	40 m3/h

620



D TYPE PRESSURE REGULATORS

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
680	Oxygen	G 3/4"	G 3/8"	0-230 bar	0-10 bar	30 m3/h
681	Acetylene	W23x1/18"	G 3/8" Left	0-25 bar	0-1,5 bar	5 m3/h
691	Acetylene	Clamp	G 3/8" Left	0-25 bar	0-1,5 bar	5 m3/h
682	Argon - Mix	G 5/8" Outside	G 1/4"	0-230 bar	-	0-25 L/min
683	Nitrogen	G 5/8" Outside	G 3/8"	0-230 bar	0-10 bar	30 m3/h
684	CO2	W21,80x1/14"	G 1/4"	0-230 bar	-	0-25 L/min
685	Helium	G 5/8" Outside	G 3/8"	0-230 bar	0-10 bar	70 m3/h
686	Hydrogen	W21,80x1/14" Left	G 3/8" Left	0-230 bar	0-10 bar	90 m3/h
687	Dry Air	G 5/8" Outside	G 3/8"	0-230 bar	0-10 bar	30 m3/h
688	Methane	W21,80x1/14" Left	G 3/8" Left	0-230 bar	0-10 bar	40 m3/h

682

E TYPE PRESSURE REGULATORS



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
670	Oxygen	G 3/4"	8 mm	0-230 bar	0-10 bar	30 m3/h
671	Acetylene	W23x1/18"	8 mm	0-25 bar	0-1,5 bar	5 m3/h
672	Argon - Mix	G 5/8" Outside	8 mm	0-230 bar	-	0-25 L/min
673	Nitrogen	G 5/8" Outside	8 mm	0-230 bar	0-10 bar	30 m3/h
674	CO2	W21,80x1/14"	8 mm	0-230 bar	-	0-25 L/min
675	Helium	G 5/8" Outside	8 mm	0-230 bar	0-10 bar	70 m3/h
676	Hydrogen	W21,80x1/14" Left	8 mm	0-230 bar	0-10 bar	90 m3/h
677	Dry Air	G 5/8" Outside	8 mm	0-230 bar	0-10 bar	30 m3/h
678	Methane	W21,80x1/14" Left	8 mm	0-230 bar	0-10 bar	40 m3/h

670

PROPANE PRESSURE REGULATORS



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
606	Propane (with pressure gauge)	W21,80x1/14" Left	8 mm	0-25 bar	0-1,5 bar	5 m3/h
607	Propane (without pressure gauge)	W21,80x1/14" Left	8 mm	0-25 bar	0-1,5 bar	5 m3/h
608	Propane (without pressure gauge, with double outlet)	W21,80x1/14" Left	8 mm	0-25 bar	0-1,5 bar	5 m3/h
609	Propane (with double pressure gauges)	W21,80x1/14" Left	8 mm	0-25 bar	0-1,5 bar	5 m3/h

606



609

HIGH PRESSURE REGULATORS



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure
210	Oxygen	G 3/4"	G 3/8"	0-230 bar	0-50 bar
211	Oxygen	G 3/4"	G 3/8"	0-230 bar	0-100 bar
212	Oxygen	G 3/4"	G 3/8"	0-230 bar	0-200 bar
213	Nitrogen	G 5/8" Outside	G 3/8"	0-230 bar	0-50 bar
214	Nitrogen	G 5/8" Outside	G 3/8"	0-230 bar	0-100 bar
215	Nitrogen	G 5/8" Outside	G 3/8"	0-230 bar	0-200 bar
216	Argon	G 5/8" Outside	G 3/8"	0-230 bar	0-50 bar
217	Argon	G 5/8" Outside	G 3/8"	0-230 bar	0-100 bar
218	Argon	G 5/8" Outside	G 3/8"	0-230 bar	0-200 bar
219	CO2	W21,80x1/14"	G 3/8"	0-230 bar	0-50 bar
220	CO2	W21,80x1/14"	G 3/8"	0-230 bar	0-100 bar
221	CO2	W21,80x1/14"	G 3/8"	0-230 bar	0-200 bar
222	Dry Air	G 5/8" Outside	G 3/8"	0-230 bar	0-50 bar
223	Dry Air	G 5/8" Outside	G 3/8"	0-230 bar	0-100 bar
224	Dry Air	G 5/8" Outside	G 3/8"	0-230 bar	0-200 bar

213

OTHER PRESSURE REGULATORS



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
225	Helium Balloon Inflator	G 5/8" Outside	Balloon Inflator Apparatus	0-230 bar	5 bar	-
227	Nitrogen Protoxide	G 3/8"	G 3/8"	0-230 bar	0-10 bar	30 m3/h
228	Aquarium Regulator	W21,80x1/14"	G 1/4"	0-230 bar	-	0-15 L/min
630	Oxygen with Single Pressure Gauge	G 3/4"	8 mm	0-230 bar	5 bar	30 m3/h
631	Argon with Single Pressure Gauge	G 5/8" Outside	8 mm	0-230 bar	-	0-25 L/min
632	CO2 with Single Pressure Gauge	W21,80x1/14"	8 mm	0-230 bar	-	0-25 L/min
707	Medical Oxygen Pressure Regulator	G 3/4"	-	0-230 bar	3 bar	0-15 L/min
709	CO2 Beverage Regulator	W21,80x1/14"	7/16"	0-230 bar	0-4 bar	-
710	CO2 Double Beverage Regulator	W21,80x1/14"	7/16"	0-230 bar	0-4 bar	-

709

PRESSURE GAUGES (MANOMETERS)

Product Code	Manometer Pressure	Outside Diameter	Connection Size	Connection Type
105	0-16 bar	63 mm	G 1/4"	Bottom
106	0-315 bar	63 mm	G 1/4"	Bottom
107	0-2,5 bar	63 mm	G 1/4"	Bottom
108	0-40 bar	63 mm	G 1/4"	Bottom
109	0-32 L/min	63 mm	G 1/4"	Bottom
110	0-25 bar	63 mm	G 1/4"	Bottom
112	0-60 bar	63 mm	G 1/4"	Bottom
113	0-10 bar	63 mm	G 1/4"	Bottom
115	0-6 bar	63 mm	G 1/4"	Bottom
119	0-100 bar	63 mm	G 1/4"	Bottom

105

106

107

108

109

PRESSURE REGULATORS WITH FLOWMETER

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Gas Flow
010	Nitrogen with Single Flowmeter	G 5/8" Outside	G 1/4"	0-230 bar	0-25 L/min
011	Argon with Single Flowmeter	G 5/8" Outside	G 1/4"	0-230 bar	0-25 L/min
012	Argon with Double Flowmeter	G 5/8" Outside	G 1/4"	0-230 bar	0-25 L/min
013	CO2 with Single Flowmeter	W21,80X1/14"	G 1/4"	0-230 bar	0-25 L/min
014	CO2 with Double Flowmeter	W21,80X1/14"	G 1/4"	0-230 bar	0-25 L/min



011

DOUBLE STAGE PRESSURE REGULATORS

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
020	Oxygen	G 3/4"	G 1/4"	0-230 bar	0-10 bar	30 m3/h
021	Oxygen	G 3/4"	G 1/4"	0-230 bar	0-1,5 bar	15 m3/h
022	Nitrogen	G 5/8" Outside	G 1/4"	0-230 bar	0-10 bar	30 m3/h
023	Nitrogen	G 5/8" Outside	G 1/4"	0-230 bar	0-1,5 bar	15 m3/h
024	Argon	G 5/8" Outside	G 1/4"	0-230 bar	0-10 bar	30 m3/h
025	Argon	G 5/8" Outside	G 1/4"	0-230 bar	0-1,5 bar	15 m3/h
026	CO2	W21,80x1/14"	G 1/4"	0-230 bar	0-10 bar	30 m3/h
027	CO2	W21,80x1/14"	G 1/4"	0-230 bar	0-1,5 bar	10 m3/h
028	Helium	G 5/8" Outside	G 1/4"	0-230 bar	0-10 bar	70 m3/h
029	Helium	G 5/8" Outside	G 1/4"	0-230 bar	0-1,5 bar	35 m3/h
030	Hydrogen	W21,80x1/14" Left	G 1/4"	0-230 bar	0-10 bar	90 m3/h
031	Hydrogen	W21,80x1/14" Left	G 1/4"	0-230 bar	0-1,5 bar	50 m3/h
032	Dry Air	G 5/8" Outside	G 1/4"	0-230 bar	0-10 bar	30 m3/h
033	Dry Air	G 5/8" Outside	G 1/4"	0-230 bar	0-1,5 bar	15 m3/h
034	Methane	W21,80x1/14" Left	G 1/4"	0-230 bar	0-10 bar	40 m3/h
035	Methane	W21,80x1/14" Left	G 1/4"	0-230 bar	0-1,5 bar	20 m3/h

HIGH FLOW PRESSURE REGULATORS (0-15 bar)

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
170	Oxygen	G 1"	G 3/4"	0-230 bar	0-15 bar	180 m3/h
171	Acetylene	G 1"	G 3/4"	0-25 bar	0-1,5 bar	40 m3/h
172	Argon - Mix	G 1"	G 3/4"	0-230 bar	0-15 bar	180 m3/h
173	Nitrogen	G 1"	G 3/4"	0-230 bar	0-15 bar	180 m3/h
174	Helium	G 1"	G 3/4"	0-230 bar	0-15 bar	450 m3/h
175	Propane	G 1"	G 3/4"	0-25 bar	0-1,5 bar	50 m3/h
176	Methane	G 1"	G 3/4"	0-230 bar	0-15 bar	220 m3/h
177	Hydrogen	G 1"	G 3/4"	0-230 bar	0-15 bar	650 m3/h
178	CO2	G 1"	G 3/4"	0-230 bar	0-15 bar	150 m3/h
179	Dry Air	G 1"	G 3/4"	0-230 bar	0-15 bar	180 m3/h

HIGH FLOW PRESSURE REGULATORS (0-40 bar)

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
180	Oxygen	G 1"	G 3/4"	0-230 bar	0-40 bar	650 m3/h
181	CO2	G 1"	G 3/4"	0-230 bar	0-40 bar	550 m3/h
182	Argon	G 1"	G 3/4"	0-230 bar	0-40 bar	570 m3/h
183	Nitrogen	G 1"	G 3/4"	0-230 bar	0-40 bar	700 m3/h
184	Helium	G 1"	G 3/4"	0-230 bar	0-40 bar	1700 m3/h
185	Hydrogen	G 1"	G 3/4"	0-230 bar	0-40 bar	2300 m3/h
186	Methane	G 1"	G 3/4"	0-230 bar	0-40 bar	800 m3/h
187	Dry Air	G 1"	G 3/4"	0-230 bar	0-40 bar	700 m3/h

LOW PRESSURE HIGH FLOW PRESSURE REGULATORS (0-15 bar)



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
390	Oxygen	G 1"	G 3/4"	0-40 bar	0-15 bar	280 m3/h
391	Acetylene	G 1"	G 3/4"	0-25 bar	0-1,5 bar	40 m3/h
392	Argon	G 1"	G 3/4"	0-40 bar	0-15 bar	240 m3/h
393	Nitrogen-Dry Air	G 1"	G 3/4"	0-40 bar	0-15 bar	280 m3/h
394	CO2	G 1"	G 3/4"	0-40 bar	0-15 bar	240 m3/h
395	Propane	G 1"	G 3/4"	0-25 bar	0-1,5 bar	30 m3/h
396	Methane	G 1"	G 3/4"	0-40 bar	0-15 bar	350 m3/h
397	Helium	G 1"	G 3/4"	0-40 bar	0-15 bar	700 m3/h
398	Hydrogen	G 1"	G 3/4"	0-40 bar	0-15 bar	950 m3/h

390

HIGH FLOW PRESSURE REGULATORS (0-15 bar)



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
190	Oxygen	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	100 m3/h
191	Acetylene	W21,80x1/14"	G 3/4"	0-25 bar	0-1,5 bar	25 m3/h
192	Argon - Mix	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	100 m3/h
193	Nitrogen	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	100 m3/h
194	Helium	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	250 m3/h
195	Propane	W21,80x1/14"	G 3/4"	0-25 bar	0-1,5 bar	35 m3/h
196	Methane	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	120 m3/h
197	Hydrogen	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	350 m3/h
198	CO2	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	80 m3/h
199	Dry Air	W21,80x1/14"	G 3/4"	0-230 bar	0-15 bar	100 m3/h

190

HIGH FLOW PRESSURE REGULATORS (0-40 bar)



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
200	Oxygen	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	150 m3/h
201	CO2	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	120 m3/h
202	Argon	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	150 m3/h
203	Nitrogen	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	150 m3/h
204	Helium	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	320 m3/h
205	Hydrogen	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	475 m3/h
206	Methane	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	180 m3/h
207	Dry Air	W21,80x1/14"	G 3/4"	0-230 bar	0-40 bar	150 m3/h

200

LINE PRESSURE REGULATORS



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
900	Oxygen	G 1/4"	G 3/8"	0-40 bar	0-10 bar	60 m3/h
901	CO2	G 1/4"	G 1/4"	0-40 bar	-	0-25 L/min
901A	Argon	G 1/4"	G 1/4"	0-40 bar	-	0-25 L/min
901K	Mix	G 1/4"	G 1/4"	0-40 bar	-	0-25 L/min
902	Acetylene	G 1/4"	G 3/8" Left	0-4 bar	0-1,5 bar	10 m3/h
903	Nitrogen	G 1/4"	G 3/8"	0-40 bar	0-10 bar	60 m3/h
903K	Dry Air	G 1/4"	G 3/8"	0-40 bar	0-10 bar	60 m3/h
904	Propane	G 1/4"	G 3/8" Left	0-4 bar	0-1,5 bar	5 m3/h
905	Helium	G 1/4"	G 3/8"	0-40 bar	0-10 bar	160 m3/h
906	Hydrogen	G 1/4"	G 3/8" Left	0-40 bar	0-10 bar	220 m3/h
907	Methane	G 1/4"	G 3/8" Left	0-40 bar	0-10 bar	80 m3/h

902

LINE PRESSURE REGULATORS (CONNECTION FROM TOP)



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
900_ÜS	Oxygen	G 1/2"	G 3/8"	0-40 bar	0-10 bar	70 m3/h
901_ÜS	CO2	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
901A_ÜS	Argon	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
901K_ÜS	Mix	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
902_ÜS	Acetylene	G 1/2"	G 3/8" Left	0-4 bar	0-1,5 bar	10 m3/h
903_ÜS	Nitrogen	G 1/2"	G 3/8"	0-40 bar	0-10 bar	70 m3/h
903K_ÜS	Dry Air	G 1/2"	G 3/8"	0-40 bar	0-10 bar	70 m3/h
904_ÜS	Propane	G 1/2"	G 3/8" Left	0-4 bar	0-1,5 bar	8 m3/h
905_ÜS	Helium	G 1/2"	G 3/8"	0-40 bar	0-10 bar	180 m3/h
906_ÜS	Hydrogen	G 1/2"	G 3/8" Left	0-40 bar	0-10 bar	250 m3/h
907_ÜS	Methane	G 1/2"	G 3/8" Left	0-40 bar	0-10 bar	90 m3/h

900_ÜS

LINE PRESSURE REGULATORS (CONNECTION FROM BACK)



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
900_AS	Oxygen	G 1/2"	G 3/8"	0-40 bar	0-10 bar	70 m3/h
901_AS	CO2	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
901A_AS	Argon	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
901K_AS	Mix	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
902_AS	Acetylene	G 1/2"	G 3/8" Left	0-4 bar	0-1,5 bar	10 m3/h
903_AS	Nitrogen	G 1/2"	G 3/8"	0-40 bar	0-10 bar	70 m3/h
903K_AS	Dry Air	G 1/2"	G 3/8"	0-40 bar	0-10 bar	70 m3/h
904_AS	Propane	G 1/2"	G 3/8" Left	0-4 bar	0-1,5 bar	8 m3/h
905_AS	Helium	G 1/2"	G 3/8"	0-40 bar	0-10 bar	180 m3/h
906_AS	Hydrogen	G 1/2"	G 3/8" Left	0-40 bar	0-10 bar	250 m3/h
907_AS	Methane	G 1/2"	G 3/8" Left	0-40 bar	0-10 bar	90 m3/h

900_AS

LINE PRESSURE REGULATORS (WITH VALVE, CHROMIUM PLATING, LABORATORY TYPE)



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
050	Oxygen	G 1/4"	G 3/8"	0-40 bar	0-10 bar	-
050-1	Oxygen	G 1/4"	G 3/8"	0-40 bar	0-1,5 bar	-
051	Nitrogen	G 1/4"	G 3/8"	0-40 bar	0-10 bar	-
051-1	Nitrogen	G 1/4"	G 3/8"	0-40 bar	0-1,5 bar	-
052	Argon	G 1/4"	G 1/4"	0-40 bar	0-10 bar	-
052-1	Argon	G 1/4"	G 1/4"	0-40 bar	0-1,5 bar	-
052-2	Argon with flowmeter	G 1/4"	G 1/4"	0-40 bar	-	0-25 L/min
053	CO2	G 1/4"	G 1/4"	0-40 bar	0-10 bar	-
053-1	CO2	G 1/4"	G 1/4"	0-40 bar	0-1,5 bar	-
053-2	CO2 with flowmeter	G 1/4"	G 1/4"	0-40 bar	-	0-25 L/min
054	Acetylene	G 1/4"	G 3/8" Left	0-4 bar	0-1,5 bar	-
055	Propane	G 1/4"	G 3/8" Left	0-4 bar	0-1,5 bar	-
056	Helium	G 1/4"	G 3/8"	0-40 bar	0-10 bar	-
056-1	Helium	G 1/4"	G 3/8"	0-40 bar	0-1,5 bar	-
057	Hydrogen	G 1/4"	G 3/8" Left	0-40 bar	0-10 bar	-
057-1	Hydrogen	G 1/4"	G 3/8" Left	0-40 bar	0-1,5 bar	-
058	Dry Air	G 1/4"	G 3/8"	0-40 bar	0-10 bar	-
058-1	Dry Air	G 1/4"	G 3/8"	0-40 bar	0-1,5 bar	-
059	Methane	G 1/4"	G 3/8" Left	0-40 bar	0-10 bar	-
059-1	Methane	G 1/4"	G 3/8" Left	0-40 bar	0-1,5 bar	-
060	Mix	G 1/4"	G 1/4"	0-40 bar	0-10 bar	-
060-1	Mix	G 1/4"	G 1/4"	0-40 bar	0-1,5 bar	-
060-2	Mix with flowmeter	G 1/4"	G 1/4"	0-40 bar	-	0-25 L/min

050

LINE GROUPS



Product Code	Gas Type	Inlet Diameter	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
910	Oxygen	Ø 15 mm	G 3/8"	0-40 bar	0-10 bar	60 m3/h
911	CO2	Ø 15 mm	G 1/4"	0-40 bar	-	0-25 L/min
911A	Argon	Ø 15 mm	G 1/4"	0-40 bar	-	0-25 L/min
911K	Mix	Ø 15 mm	G 1/4"	0-40 bar	-	0-25 L/min
912	Acetylene	Ø 15 mm	G 3/8" Left	0-4 bar	0-1,5 bar	10 m3/h
913	Nitrogen	Ø 15 mm	G 3/8"	0-40 bar	0-10 bar	60 m3/h
913K	Dry Air	Ø 15 mm	G 3/8"	0-40 bar	0-10 bar	60 m3/h
914	Propane	Ø 15 mm	G 3/8" Left	0-4 bar	0-1,5 bar	5 m3/h
915	Helium	Ø 15 mm	G 3/8"	0-40 bar	0-10 bar	160 m3/h
916	CO2-Argon with Single Flowmeter	Ø 15 mm	G 1/4"	0-40 bar	-	0-25 L/min
917	Hydrogen	Ø 15 mm	G 3/8" Left	0-40 bar	0-10 bar	220 m3/h
918	Methane	Ø 15 mm	G 3/8" Left	0-40 bar	0-10 bar	80 m3/h
919	CO2-Argon with Double Flowmeter	Ø 15 mm	G 1/4"	0-40 bar	-	0-25 L/min
919M	CO2-Ar. with Db. Flow.-P.Gauge	Ø 15 mm	G 1/4"	0-40 bar	-	0-25 L/min

919M

LINE GROUPS (CONNECTION WITH NUT)



Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
910_ÜS	Oxygen	G 1/2"	G 3/8"	0-40 bar	0-10 bar	60 m3/h
911_ÜS	CO2	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
911A_ÜS	Argon	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
911K_ÜS	Mix	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
912_ÜS	Acetylene	G 1/2"	G 3/8" Left	0-4 bar	0-1,5 bar	10 m3/h
913_ÜS	Nitrogen	G 1/2"	G 3/8"	0-40 bar	0-10 bar	60 m3/h
913K_ÜS	Dry Air	G 1/2"	G 3/8"	0-40 bar	0-10 bar	60 m3/h
914_ÜS	Propane	G 1/2"	G 3/8" Left	0-4 bar	0-1,5 bar	5 m3/h
915_ÜS	Helium	G 1/2"	G 3/8"	0-40 bar	0-10 bar	160 m3/h
916_ÜS	CO2-Argon with Single Flowmeter	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
917_ÜS	Hydrogen	G 1/2"	G 3/8" Left	0-40 bar	0-10 bar	220 m3/h
918_ÜS	Methane	G 1/2"	G 3/8" Left	0-40 bar	0-10 bar	80 m3/h
919_ÜS	CO2-Argon with Double Flowmeter	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min
919M_ÜS	CO2-Ar. with Db. Flow.-P.Gauge	G 1/2"	G 1/4"	0-40 bar	-	0-25 L/min

912_ÜS



HIGH PRESSURE LINE GROUPS (0-50 bar)

Product Code	Gas Type	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Gas Flow
040	Oxygen	G 1/2"	G 3/8"	0-60 bar	0-50 bar	60 m3/h
041	Nitrogen	G 1/2"	G 3/8"	0-60 bar	0-50 bar	60 m3/h
042	Argon	G 1/2"	G 3/8"	0-60 bar	0-50 bar	50 m3/h
043	CO2	G 1/2"	G 3/8"	0-60 bar	0-50 bar	50 m3/h
044	Helium	G 1/2"	G 3/8"	0-60 bar	0-50 bar	160 m3/h
045	Hydrogen	G 1/2"	G 3/8" Left	0-60 bar	0-50 bar	220 m3/h

040

HIGH FLOW FLASHBACK ARRESTORS FOR LINE



Product Code	Gas Type	Inlet Connection	Outlet Connection
150	Oxygen	G 1/2"	G 1/2"
151	Acetylene	G 1/2"	G 1/2"
152	Hydrogen	G 1/2"	G 1/2"
153	Propane	G 1/2"	G 1/2"

150

SAFETY VALVES FOR LINE



Product Code	Gas Type	Inlet Connection
160	Oxygen	G 1/4"
161	Acetylene	G 1/4"
162	Argon	G 1/4"
163	Nitrogen	G 1/4"
164	CO2	G 1/4"
165	Helium	G 1/4"
166	Hydrogen	G 1/4"
167	Dry Air	G 1/4"

160

SEDIMENT TRAP FOR LINE



Product Code	Gas Type	Working Pressure	Inlet Connection	Outlet Connection
280	Oxygen	0-40 bar	G 1"	G 1"
281	Acetylene	0-4 bar	G 1"	G 1"
282	Argon	0-40 bar	G 1"	G 1"
283	Nitrogen	0-40 bar	G 1"	G 1"
284	CO2	0-40 bar	G 1"	G 1"
285	Helium	0-40 bar	G 1"	G 1"
286	Hydrogen	0-40 bar	G 1"	G 1"
287	Dry Air	0-40 bar	G 1"	G 1"

280

MANIFOLD SYSTEMS

520



524



528



Product Code	Gas Type	Inlet Connection	Outlet Connection	Max. Pressure
520	Oxygen	G 3/4" - 2's	W21,80x1/14"	300 bar
521	Nitrogen	G 3/4" - 2's	W21,80x1/14"	300 bar
522	Argon - CO2	G 3/4" - 2's	W21,80x1/14"	300 bar
523	Flammable Gas	G 3/4" - 2's	W21,80x1/14"	300 bar
524	Oxygen	G 3/4" - 3's	W21,80x1/14"	300 bar
525	Nitrogen	G 3/4" - 3's	W21,80x1/14"	300 bar
526	Argon - CO2	G 3/4" - 3's	W21,80x1/14"	300 bar
527	Flammable Gas	G 3/4" - 3's	W21,80x1/14"	300 bar
528	Oxygen	G 3/4" - 4's	W21,80x1/14"	300 bar
529	Nitrogen	G 3/4" - 4's	W21,80x1/14"	300 bar
530	Argon - CO2	G 3/4" - 4's	W21,80x1/14"	300 bar
531	Flammable Gas	G 3/4" - 4's	W21,80x1/14"	300 bar

HIGH PRESSURE FLEX HOSES

540



Product Code	Using Pressure	Inlet Connection	Outlet Connection	Length
540	230 bar	Cylinder Connection	Manifold Connection	50 cm
541	230 bar	Cylinder Connection	Manifold Connection	75 cm
542	230 bar	Cylinder Connection	Manifold Connection	100 cm
543	230 bar	Cylinder Connection	Manifold Connection	150 cm
544	230 bar	Cylinder Connection	Manifold Connection	200 cm
545	230 bar	Cylinder Connection	Manifold Connection	250 cm
546	230 bar	Cylinder Connection	Manifold Connection	300 cm

HIGH PRESSURE BLACK HOSES

540_S



Product Code	Using Pressure	Inlet Connection	Outlet Connection	Length
540_S	230 bar	Cylinder Connection	Manifold Connection	50 cm
541_S	230 bar	Cylinder Connection	Manifold Connection	75 cm
542_S	230 bar	Cylinder Connection	Manifold Connection	100 cm
543_S	230 bar	Cylinder Connection	Manifold Connection	150 cm
544_S	230 bar	Cylinder Connection	Manifold Connection	200 cm
545_S	230 bar	Cylinder Connection	Manifold Connection	250 cm
546_S	230 bar	Cylinder Connection	Manifold Connection	300 cm

HEATER FOR LINE

538



Product Code	Gas Type	Inlet Connection	Outlet Connection	Using Pressure	Voltage	Power	Frequency
535	Oxygen	W21,80x1/14"	W21,80x1/14"	230 bar	220 V	200 W	50 Hz
536	Nitrogen	W21,80x1/14"	W21,80x1/14"	230 bar	220 V	200 W	50 Hz
537	Argon	W21,80x1/14"	W21,80x1/14"	230 bar	220 V	200 W	50 Hz
538	CO2	W21,80x1/14"	W21,80x1/14"	230 bar	220 V	200 W	50 Hz
539	Dry Air	W21,80x1/14"	W21,80x1/14"	230 bar	220 V	200 W	50 Hz

CYLINDER VALVES

Product Code	Product Description
500	Oxygen Cylinder Valve - G3/4" Outside
501	Acetylene Cylinder Valve - W23x1/18" Outside
502	Argon Cylinder Valve - G5/8" Inside
503	Mix Cylinder Valve - G5/8" Inside
504	Nitrogen Cylinder Valve - G5/8" Inside

500



501



503



NIPPLES & REDUCTIONS

Product Code	Product Description
650	Nipple for Argon - Nitrogen (G5/8" - W21,80x1/14")
651	Nipple CO2 (W21,80x1/14" - G5/8")
652	Nipple for Nitrogen (filling)
653	Reduction for Oxygen (W21,80x1/14" - G3/4")
654	Reduction for Oxygen (G3/4" - W21,80x1/14")
655	Reduction for Acetylene (W23x1/18" - G1/2")
656	Reduction for Acetylene (G1/2"-W23x1/18")

650



651



652



653



654



655



656



HOSES - SPARE PARTS - ACCESSORIES

Product Code	Product Description
402	Flammable Gas Hose Ø8 mm
403	Oxygen Gas Hose Ø8 mm
404	Oxygen - Flammable Gas Twin Hose Ø8 mm
638	Heater for CO2
813	LPG Picnic Cylinder Adapter
639	Flowmeter 25 L/min (In - Out Set)
950	Nozzle Cleaner
846	Gas Economizer Oxygen - Acetylene
847	Gas Economizer Oxygen - Propane

402



403



639



846




813



950



FLASHBACK ARRESTORS



evnen®

GAS ARMATURES INDUSTRY & TRADE CO.

FLASHBACK ARRESTOR FOR PRESSURE REGULATOR - OXYGEN

Product Code	Gas Type	Using Pressure	Flow	Inlet Connection	Outlet Connection
660	Oxygen	20 bar	80 m3/h	G3/8"	6 mm or 8 mm

660



FLASHBACK ARRESTOR FOR PRESSURE REGULATOR - ACETYLENE

Product Code	Gas Type	Using Pressure	Flow	Inlet Connection	Outlet Connection
661	Acetylene	1,5 bar	10 m3/h	G3/8" Left	6 mm or 8 mm

661



FLASHBACK ARRESTOR FOR PRESSURE REGULATOR - PROPANE

Product Code	Gas Type	Using Pressure	Flow	Inlet Connection	Outlet Connection
662	Propane	5 bar	40 m3/h	M10x1	6 mm or 8 mm

662



FLASHBACK ARRESTOR FOR DIRECT TO HOSE - OXYGEN

Product Code	Gas Type	Using Pressure	Flow	Inlet Connection	Outlet Connection
663	Oxygen	20 bar	80 m3/h	6 mm or 8 mm	6 mm or 8 mm

663



FLASHBACK ARRESTOR FOR DIRECT TO HOSE - FLAMMABLE GAS

Product Code	Gas Type	Using Pressure	Flow	Inlet Connection	Outlet Connection
664	Acetylene	1,5 bar	10 m3/h	6 mm or 8 mm	6 mm or 8 mm
	Propane	5 bar	40 m3/h		

664



FLASHBACK ARRESTOR FOR TORCH - OXYGEN

Product Code	Gas Type	Using Pressure	Flow	Inlet Connection	Outlet Connection
748	Oxygen	20 bar	80 m3/h	6 mm or 8 mm	G1/4"

748




FLASHBACK ARRESTOR FOR TORCH - FLAMMABLE GAS

Product Code	Gas Type	Using Pressure	Flow	Inlet Connection	Outlet Connection
749	Acetylene	1,5 bar	10 m3/h	6 mm or 8 mm	G3/8" Left
	Propane	5 bar	40 m3/h		

749



WELDING, CUTTING & HEATING TORCHES



evnen®

GAS ARMATURES INDUSTRY & TRADE CO.

SHANK (HANDLE)



Product Code	Product Description	Welding Attachment Connection Size	Oxygen Connection	Flammable Gas Connection
740	Shank	Ø 16 mm	G 1/4"	G 3/8" Left

740

CUTTING TORCHES (ONLY CUTTING TORCH)




Product Code	Product Description	Gas Type	Cutting Capacity
741	Cutting Torch	Oxygen - Propane	3 - 100 mm
756	Cutting Torch	Oxygen - Acetylene	3 - 100 mm
742	Cutting Torch (for straight cutting)	Oxygen - Propane	3 - 100 mm
758	Cutting Torch (for straight cutting)	Oxygen - Acetylene	3 - 100 mm

741

742

CUTTING NOZZLES (OXYGEN - PROPANE)



Product Code	Cutting Thickness	Cutting Space	Oxygen Pressure	Propane Pressure
752	3 - 20 mm	2 mm	2,5 - 4 bar	0,3 bar
753	20 - 50 mm	3 mm	4 - 5 bar	0,3 bar
754	50 - 100 mm	4 mm	5 - 6 bar	0,3 bar
751	3 - 100 mm	Copper Hive		
755	3 - 100 mm	Cutting Nozzles Set Oxygen - Propane		

755

CUTTING NOZZLES (OXYGEN - ACETYLENE)



Product Code	Cutting Thickness	Cutting Space	Oxygen Pressure	Acetylene Pressure
760	3 - 20 mm	2 mm	2,5 - 4 bar	0,3 bar
761	20 - 50 mm	3 mm	4 - 5 bar	0,3 bar
762	50 - 100 mm	4 mm	5 - 6 bar	0,3 bar
765	3 - 100 mm	Cutting Nozzles Set Oxygen - Acetylene		

765

COMPASS & CARRIAGE SET



Product Code	Product Description
730	Compass & Carriage Set
731	Compass Set (For Straight Cutting)

731


CUTTING TORCH SETS (OXYGEN - PROPANE)

Product Code	Product Description
743	Cutting Torch Set Oxygen - Propane (without carriage) Shank (Handle)
744	Cutting Torch Oxygen - Propane (only Cutting Torch)
	Cutting Nozzles Set Oxygen - Propane
	Cutting Torch Set Oxygen - Propane Shank (Handle)
	Cutting Torch Oxygen - Propane (only Cutting Torch)
	Cutting Nozzles Set Oxygen - Propane
	Compass & Carriage Set

743



744




CUTTING TORCH SETS (OXYGEN - ACETYLENE)

Product Code	Product Description
757	Cutting Torch Set Oxygen - Acetylene (without carriage) Shank (Handle)
745	Cutting Torch Oxygen - Acetylene (only Cutting Torch)
	Cutting Nozzles Set Oxygen - Acetylene
	Cutting Torch Set Oxygen - Acetylene Shank (Handle)
	Cutting Torch Oxygen - Acetylene (only Cutting Torch)
	Cutting Nozzles Set Oxygen - Acetylene
	Compass & Carriage Set

757



745



WELDING & CUTTING TORCH SETS (OXYGEN - ACETYLENE)

Product Code	Product Description
790	6 's Welding and Cutting Set - with outfit Oxygen - Acetylene Shank (Handle)
791	Cutting Torch Oxygen - Acetylene (only Cutting Torch)
	Cutting Nozzles Set Oxygen - Acetylene
	Compass & Carriage Set
	Welding Attachment Nr.1 Oxygen - Acetylene
	Welding Attachment Nr.2 Oxygen - Acetylene
	Welding Attachment Nr.3 Oxygen - Acetylene
	Welding Attachment Nr.4 Oxygen - Acetylene
	Welding Attachment Nr.5 Oxygen - Acetylene
Welding Attachment Nr.6 Oxygen - Acetylene	
791	8 's Welding and Cutting Set - with outfit Oxygen - Acetylene Shank (Handle)
791	Cutting Torch Oxygen - Acetylene (only Cutting Torch)
	Cutting Nozzles Set Oxygen - Acetylene
	Compass & Carriage Set
	Welding Attachment Nr.1 Oxygen - Acetylene
	Welding Attachment Nr.2 Oxygen - Acetylene
	Welding Attachment Nr.3 Oxygen - Acetylene
	Welding Attachment Nr.4 Oxygen - Acetylene
	Welding Attachment Nr.5 Oxygen - Acetylene
Welding Attachment Nr.6 Oxygen - Acetylene	
Welding Attachment Nr.7 Oxygen - Acetylene	
Welding Attachment Nr.8 Oxygen - Acetylene	

790



791



711



INDUSTRY TYPE CUTTING TORCHES (OXYGEN - PROPANE)

Product Code	Cutting Capacity	Oxygen Connection	Propane Connection	Length
711	3 - 300 mm	G 1/4"	G 3/8" Left	55 cm
716	3 - 300 mm	G 1/4"	G 3/8" Left	70 - 80 - 90 cm
717	3 - 300 mm	G 1/4"	G 3/8" Left	100 - 140 cm
718	3 - 300 mm	G 1/4"	G 3/8" Left	150 - 180 cm
719	3 - 300 mm	G 1/4"	G 3/8" Left	210 cm
713	3 - 300 mm	G 1/4"	G 3/8" Left	55 cm

713



INDUSTRY TYPE THREE PIPES CUTTING TORCHES (OXYGEN - PROPANE)

Product Code	Cutting Capacity	Oxygen Connection	Propane Connection	Length
710	3 - 300 mm	G 1/4"	G 3/8" Left	50 cm
710L	3 - 300 mm	G 1/4"	G 3/8" Left	75 cm
710L2	3 - 300 mm	G 1/4"	G 3/8" Left	100 cm
710L3	3 - 300 mm	G 1/4"	G 3/8" Left	150 cm

710



721



722



723



724



725



728



729



INDUSTRY TYPE CUTTING NOZZLES (OXYGEN - PROPANE)

Product Code	Cutting Thickness	Oxygen Pressure	Propane Pressure
721	3 - 20 mm	4 bar	0,3 bar
722	20 - 50 mm	5 bar	0,4 bar
723	50 - 100 mm	6 bar	0,7 bar
724	100 - 200 mm	6 bar	0,7 bar
725	200 - 300 mm	7 bar	0,8 bar
728	Industry Type Copper Hive (using with 721 - 722)		
729	Industry Type Copper Hive (using with 723 - 724 - 725)		

NOZZLE-MIX CUTTING TORCHES (OXYGEN - PROPANE)

Product Code	Cutting Capacity	Oxygen Connection	Propane Connection	Length
715	3 - 500 mm	G 1/4"	G 3/8" Left	50 cm
715L	3 - 500 mm	G 1/4"	G 3/8" Left	75 cm
715L2	3 - 500 mm	G 1/4"	G 3/8" Left	100 cm
715L3	3 - 500 mm	G 1/4"	G 3/8" Left	150 cm

715



NOZZLE-MIX CUTTING NOZZLES (OXYGEN - PROPANE)

Product Code	Cutting Thickness	Oxygen Pressure	Propane Pressure
240	3 - 6 mm	2,5 - 3,5 bar	0,3 bar
241	5 - 12 mm	3 - 4 bar	0,3 bar
242	10 - 75 mm	4 - 5 bar	0,4 bar
243	70 - 100 mm	4,5 - 5,5 bar	0,4 bar
244	90 - 150 mm	5 - 6 bar	0,7 bar
245	140 - 200 mm	6 - 6,5 bar	0,7 bar
246	190 - 300 mm	6,5 - 7,5 bar	0,7 bar
247	300 - 500 mm	6,5 - 7,5 bar	0,8 bar

240



241



242



243



244



245



246



247



NOZZLE-MIX CUTTING TORCHES (OXYGEN - ACETYLENE)



Product Code	Cutting Capacity	Oxygen Connection	Acetylene Connection	Length
712	3 - 500 mm	G 1/4"	G 3/8" Left	50 cm
712L	3 - 500 mm	G 1/4"	G 3/8" Left	75 cm
712L2	3 - 500 mm	G 1/4"	G 3/8" Left	100 cm
712L3	3 - 500 mm	G 1/4"	G 3/8" Left	150 cm

712

NOZZLE-MIX CUTTING NOZZLES (OXYGEN - ACETYLENE)



Product Code	Cutting Thickness	Oxygen Pressure	Acetylene Pressure
250	3 - 6 mm	2,5 - 3,5 bar	0,35 bar
251	5 - 12 mm	3 - 4 bar	0,35 bar
252	10 - 75 mm	4 - 5 bar	0,40 bar
253	70 - 100 mm	4,5 - 5,5 bar	0,40 bar
254	90 - 150 mm	5 - 6 bar	0,40 bar
255	140 - 200 mm	6 - 6,5 bar	0,40 bar
256	190 - 300 mm	6,5 - 7,5 bar	0,45 bar
257	300 - 500 mm	6,5 - 7,5 bar	0,45 bar

HEAD-MIX CUTTING TORCHES (OXYGEN - PROPANE)



Product Code	Cutting Capacity	Oxygen Connection	Propane Connection	Length
714	3 - 300 mm	G 1/4"	G 3/8" Left	46 cm
714L	3 - 300 mm	G 1/4"	G 3/8" Left	75 cm
714L2	3 - 300 mm	G 1/4"	G 3/8" Left	100 cm
714L3	3 - 300 mm	G 1/4"	G 3/8" Left	150 cm

714

HEAD-MIX CUTTING NOZZLES (OXYGEN - PROPANE)



Product Code	Cutting Thickness	Oxygen Pressure	Propane Pressure
230	1 - 5 mm	1 - 2 bar	0,3 bar
231	5 - 10 mm	1,5 - 2 bar	0,3 bar
232	10 - 15 mm	2 - 3 bar	0,4 bar
233	15 - 25 mm	2,3 - 3,5 bar	0,4 bar
234	25 - 50 mm	3 - 4,8 bar	0,5 bar
235	50 - 75 mm	4,1 - 5,5 bar	0,5 bar
236	75 - 150 mm	4,8 - 6,1 bar	0,7 bar
237	150 - 200 mm	5 - 6,5 bar	0,7 bar
238	200 - 300 mm	6,5 - 7,2 bar	0,7 bar



WELDING ATTACHMENTS (OXYGEN - ACETYLENE)

Product Code	Welding Attachment Nr.	Welding Capacity	Oxygen Pressure	Acetylene Pressure
820	No:0	0,2-0,5 mm	2,5 bar	0,3 bar
821	No:1	0,5-1mm	2,5 bar	0,3 bar
822	No:2	1-2 mm	2,5 bar	0,3 bar
823	No:3	2-4 mm	2,5 bar	0,3 bar
824	No:4	4-6 mm	2,5 bar	0,3 bar
825	No:5	6-9 mm	2,5 bar	0,3 bar
826	No:6	9-14 mm	2,5 bar	0,3 bar
827	No:7	14-20 mm	2,5 bar	0,3 bar
828	No:8	20-30 mm	2,5 bar	0,3 bar



WELDING NOZZLES (OXYGEN - ACETYLENE)

Product Code	Nozzle Nr.	Welding Capacity	Oxygen Pressure	Acetylene Pressure
830	No:0	0,2-0,5 mm	2,5 bar	0,3 bar
831	No:1	0,5-1mm	2,5 bar	0,3 bar
832	No:2	1-2 mm	2,5 bar	0,3 bar
833	No:3	2-4 mm	2,5 bar	0,3 bar
834	No:4	4-6 mm	2,5 bar	0,3 bar
835	No:5	6-9 mm	2,5 bar	0,3 bar
836	No:6	9-14 mm	2,5 bar	0,3 bar
837	No:7	14-20 mm	2,5 bar	0,3 bar
838	No:8	20-30 mm	2,5 bar	0,3 bar



HEATING ATTACHMENTS (OXYGEN - PROPANE)

Product Code	Heating Attachment Nr.	Heating Thickness	Oxygen Pressure	Propane Pressure	Length
853	3	1-2 mm	4 bar	0,5 bar	160 mm
855	5	2-4 mm	5 bar	1 bar	160 mm
858	8	4-8 mm	5 bar	1 bar	300 mm
860	10	8-10 mm	5 bar	1 bar	300 mm
862	H-1	2-10 mm	1-2 bar	0,5 bar	430 mm
864	H-2	10-20 mm	2-3 bar	0,5 bar	430 mm
865	H-3	20-30 mm	2-5 bar	1 bar	580 mm
866	H-4	30-50 mm	3-6 bar	1 bar	580 mm
867	H-5	50-100 mm	4-8 bar	1-2 bar	580 mm



HEATING NOZZLES (OXYGEN - PROPANE)

Product Code	Nozzle Nr.	Heating Thickness	Oxygen Pressure	Propane Pressure
873	3	1-2 mm	4 bar	0,5 bar
875	5	2-4 mm	5 bar	1 bar
878	8	4-8 mm	5 bar	1 bar
880	10	8-10 mm	5 bar	1 bar
881	H-1	2-10 mm	1-2 bar	0,5 bar
883	H-2	10-20 mm	2-3 bar	0,5 bar
885	H-3	20-30 mm	2-5 bar	1 bar
886	H-4	30-50 mm	3-6 bar	1 bar
887	H-5	50-100 mm	4-8 bar	1-2 bar

MULTIPLE HEATING ATTACHMENTS (OXYGEN - PROPANE)

Product Code	Heating Thickness	Oxygen Pressure	Propane Pressure	Length	Piece of Nozzle
890	No.1 : 2-10 mm	5 bar	1 bar	670 mm	1
891	No.1 : 2-10 mm	5 bar	1 bar	670 mm	2
892	No.1 : 2-10 mm	5 bar	1 bar	670 mm	3
893	No.2: 10-20 mm	5 bar	1 bar	670 mm	1
894	No.2: 10-20 mm	5 bar	1 bar	670 mm	2
895	No.2: 10-20 mm	5 bar	1 bar	670 mm	3
879	Spare Nozzle	5 bar	1 bar	-	-



891

MULTIPLE HEATING ATTACHMENTS (OXYGEN - ACETYLENE)

Product Code	Heating Thickness	Oxygen Pressure	Propane Pressure	Length	Piece of Nozzle
816	5-20 mm	2,5 bar	0,3 bar	670 mm	1
817	5-20 mm	4 bar	1 bar	670 mm	2
818	5-20 mm	5 bar	1 bar	670 mm	3



817

GRANITE BURNING TORCHES (OXYGEN - PROPANE)

Product Code	Burning Width	Oxygen Pressure	Propane Pressure	Length	Piece of Nozzle
966	30 mm	5 bar	1 bar	140 cm	3
967	50 mm	5 bar	1 bar	140 cm	5
968	70 mm	5 bar	1 bar	140 cm	7
969	100 mm	5 bar	1 bar	140 cm	10
970	Spare Nozzle	5 bar	1 bar	-	-



969

GLASS PROCESSING TORCH

Product Code	Product Description	Oxygen Pressure	Propane Pressure	Inlet Size
767	Glass Processing Torch	5 bar	1 bar	6 mm



767

SCINPACK WELDING & CUTTING SETS

306



Product Code	Product Description
306	3 'S Welding Sets Oxygen - Acetylene Shank (Handle) Welding Attachment Nr.1 Oxygen - Acetylene Welding Attachment Nr.2 Oxygen - Acetylene Welding Attachment Nr.3 Oxygen - Acetylene

307



Product Code	Product Description
307	4 'S Welding Sets Oxygen - Acetylene Shank (Handle) Welding Attachment Nr.1 Oxygen - Acetylene Welding Attachment Nr.2 Oxygen - Acetylene Welding Attachment Nr.3 Oxygen - Acetylene Welding Attachment Nr.4 Oxygen - Acetylene

308



Product Code	Product Description
308	5 'S Welding Sets Oxygen - Acetylene Shank (Handle) Welding Attachment Nr.1 Oxygen - Acetylene Welding Attachment Nr.2 Oxygen - Acetylene Welding Attachment Nr.3 Oxygen - Acetylene Welding Attachment Nr.4 Oxygen - Acetylene Welding Attachment Nr.5 Oxygen - Acetylene

309



Product Code	Product Description
309	Cutting Set Oxygen - Propane Cutting Torch Oxygen - Propane (only Cutting Torch) Cutting Nozzles Set Oxygen - Propane

310



Product Code	Product Description
310	Cutting Set Oxygen - Acetylene Cutting Torch Oxygen - Acetylene (only Cutting Torch) Cutting Nozzles Set Oxygen - Acetylene


LIGHT TYPE WELDING TORCHES & NOZZLES (OXYGEN - PROPANE)



Product Code	Product Description
795	Light Type Welding Torch Oxygen - Propane
131	Welding Nozzle Nr.1 Oxygen - Propane
132	Welding Nozzle Nr.2 Oxygen - Propane
133	Welding Nozzle Nr.3 Oxygen - Propane

795

MINI TYPE WELDING TORCH & NOZZLES (OXYGEN - PROPANE)



Product Code	Product Description
796	Mini Type Welding Torch Oxygen - Propane
141	Welding Nozzle Nr.1 Oxygen - Propane
142	Welding Nozzle Nr.2 Oxygen - Propane
143	Welding Nozzle Nr.3 Oxygen - Propane

796

794



TWO SIDED WELDING TORCH & ATTACHMENTS (OXYGEN - PROPANE)

770



Product Code	Product Description
794	Two Sided Welding Torch Oxygen - Propane
770	Two Sided Welding Attachment Nr.0 Oxygen - Propane
771	Two Sided Welding Attachment Nr.1 Oxygen - Propane
772	Two Sided Welding Attachment Nr.2 Oxygen - Propane
773	Two Sided Welding Attachment Nr.3 Oxygen - Propane
774	Two Sided Welding Attachment Nr.4 Oxygen - Propane
775	Two Sided Welding Attachment Nr.5 Oxygen - Propane

771



772



797



TWO SIDED WELDING TORCH & ATTACHMENTS (OXYGEN - ACETYLENE)

780



Product Code	Product Description
797	Two Sided Welding Torch Oxygen - Acetylene
780	Two Sided Welding Attachment Nr.0 Oxygen - Acetylene
781	Two Sided Welding Attachment Nr.1 Oxygen - Acetylene
782	Two Sided Welding Attachment Nr.2 Oxygen - Acetylene
783	Two Sided Welding Attachment Nr.3 Oxygen - Acetylene
784	Two Sided Welding Attachment Nr.4 Oxygen - Acetylene
785	Two Sided Welding Attachment Nr.5 Oxygen - Acetylene

781



782



720



OXYGEN BLOWING TORCH

Product Code	Product Description
720	Oxygen Blowing Torch

733



SCARFING TORCH & NOZZLE

Product Code	Product Description
733	Scarfig Torch Oxygen - Propane
734	Scarfig Nozzle Oxygen - Propane
733 M	Scarfig Torch Oxygen - Natural Gas
734 M	Scarfig Nozzle Oxygen - Natural Gas

734



735



BLOCK CUTTING TORCH & NOZZLE

Product Code	Product Description
735	Block Cutting Torch Oxygen - Propane
736	Block Cutting Nozzle Oxygen - Propane
735 M	Block Cutting Torch Oxygen - Natural Gas
736 M	Block Cutting Nozzle Oxygen - Natural Gas

736



OXYGEN - PROPANE WELDING SETS



evnen®

GAS ARMATURES INDUSTRY & TRADE CO.

OXYGEN - PROPANE WELDING SETS

400



Product Code	Product Description
400	2L Oxygen - Propane Welding Set Economic Type Oxygen Pressure Regulator / Shank (Handle) / Welding Attachment Oxygen - Propane Oxygen Gas Hose 2m / Propane Gas Hose 2m LPG Cylinder Adapter for small type / LPG Cylinder small type Oxygen Cylinder 2L / Transport Chasis

400x



Product Code	Product Description
400x	2L Oxygen - Propane Welding Set Lux Type Oxygen Pressure Regulator / Shank (Handle) / Welding Attachment Oxygen - Propane Oxygen Gas Hose 2m / Propane Gas Hose 2m Spare Welding Attachment Oxygen - Propane Flashback Arrestor for torch Oxygen / Flashback Arrestor for torch Propane LPG Cylinder Adapter for small type with manometer / LPG Cylinder small type Oxygen Cylinder 2L / Transport Chasis

401



Product Code	Product Description
401	6L Oxygen - Propane Welding Set Economic Type Oxygen Pressure Regulator / Shank (Handle) / Welding Attachment Oxygen - Propane Oxygen Gas Hose 2m / Propane Gas Hose 2m LPG Cylinder Adapter for small type / LPG Cylinder small type Oxygen Cylinder 6 L / Transport Chasis

401x



Product Code	Product Description
401x	6L Oxygen - Propane Welding Set Lux Type Oxygen Pressure Regulator / Shank (Handle) / Welding Attachment Oxygen - Propane Oxygen Gas Hose 2m / Propane Gas Hose 2m Spare Welding Attachment Oxygen - Propane Flashback Arrestor for torch Oxygen / Flashback Arrestor for torch Propane LPG Cylinder Adapter for small type with manometer / LPG Cylinder small type Oxygen Cylinder 6 L / Transport Chasis

399




Product Code	Product Description
399	6L Oxygen - Propane Welding Set Economic Type - with LPG Picnic Cylinder Oxygen Pressure Regulator / Shank (Handle) / Welding Attachment Oxygen - Propane Oxygen Gas Hose 2m / Propane Gas Hose 2m LPG Picnic Cylinder Adapter / LPG Picnic Cylinder Oxygen Cylinder 6 L / Transport Chasis

399x



Product Code	Product Description
399x	6L Oxygen - Propane Welding Set Lux Type - with LPG Picnic Cylinder Oxygen Pressure Regulator / Shank (Handle) / Welding Attachment Oxygen - Propane Oxygen Gas Hose 2m / Propane Gas Hose 2m Spare Welding Attachment Oxygen - Propane Flashback Arrestor for torch Oxygen / Flashback Arrestor for torch Propane LPG Picnic Cylinder Adapter with manometer / LPG Picnic Cylinder Oxygen Cylinder 6 L / Transport Chasis

PROPANE HEATING TORCHES



evnen®

GAS ARMATURES INDUSTRY & TRADE CO.

PROPANE HEATING BURNERS

810



809



808



807



806



805



Product Code	Burner Size	Connection Size	Flame Length
805	20 mm	M20x1	15 cm
806	25 mm	M20x1	20 cm
807	30 mm	M20x1	22 cm
808	36 mm	M20x1	25 cm
809	45 mm	M20x1	38 cm
810	57 mm	M20x1	45 cm

PROPANE HEATING NECKS

804



803



802



801



800



Product Code	Neck Size	Burner Connection Size	Shank Connection Size
800	10 cm	M20x1	G3/8"
801	20 cm	M20x1	G3/8"
802	30 cm	M20x1	G3/8"
803	40 cm	M20x1	G3/8"
804	50 cm	M20x1	G3/8"

PROPANE SHANKS

844



843



842



841



840



799



Product Code	Neck Size	Burner Connection Size	Inlet Connection
799	G3/8"	-	8 mm
840	10 cm	M20x1	8 mm
841	20 cm	M20x1	8 mm
842	30 cm	M20x1	8 mm
843	40 cm	M20x1	8 mm
844	50 cm	M20x1	8 mm

PROPANE SHANKS (WITH TRIGGER)

564



563



562



561



560



798



Product Code	Neck Size	Burner Connection Size	Inlet Connection
798	G3/8"	-	8 mm
560	13 cm	M20x1	8 mm
561	20 cm	M20x1	8 mm
562	33 cm	M20x1	8 mm
563	45 cm	M20x1	8 mm
564	75 cm	M20x1	8 mm

PROPANE SOLDERING TORCH SET

Product Code	Product Description	Copper Weight	Inlet Connection
304	Propane Soldering Torch Set	250 g	8 mm
305	Spare Soldering Copper	250 g	-

304



305



PROPANE BUNSEN TORCH WITH TRAY

Product Code	Product Description	Inlet Connection
845	Propane Bunsen Torch With Tray	6 mm or 8 mm

845



PROPANE HEATING ISOLATION SETS

Product Code	Product Description	Inlet Connection
550	Propane Heating 1 's Isolation Set 563+809	8 mm
551	Propane Heating 1 's Isolation Set 563+810	8 mm
552	Propane Heating 2 's Isolation Set 564+809	8 mm
553	Propane Heating 2 's Isolation Set 564+810	8 mm
554	Propane Heating 3 's Isolation Set 564+809	8 mm
555	Propane Heating 3 's Isolation Set 564+810	8 mm

551




553

555

SCINPACK HEATING SETS**300**


Product Code	Product Description
300	Propane Shank Set 25 mm with hose Propane Shank 10 cm with fixed neck Propane Heating Burner 25 mm LPG Picnic Cylinder Adapter Propane Hose 1 m

301

Product Code	Product Description
301	Propane Shank Set 30 mm with hose Propane Shank 10 cm with fixed neck Propane Heating Burner 30 mm LPG Picnic Cylinder Adapter Propane Hose 1 m

302

Product Code	Product Description
302	Propane Shank Set 36 mm with hose Propane Shank 10 cm with fixed neck Propane Heating Burner 36 mm LPG Picnic Cylinder Adapter Propane Hose 1 m

303

Product Code	Product Description
303	Propane Shank Set 45 mm with hose Propane Shank 10 cm with fixed neck Propane Heating Burner 45 mm LPG Picnic Cylinder Adapter Propane Hose 1 m

NATURAL GAS WELDING CUTTING & HEATING TORCHES



evnen®

GAS ARMATURES INDUSTRY & TRADE CO.



SHANK (HANDLE)

740 M

Product Code	Product Description	Welding Attachment Connection Size	Oxygen Connection	Oxygen Connection
740 M	Shank (Handle)	Ø 16 mm	G 1/4"	G 3/8" Left

741 M




CUTTING TORCHES (ONLY CUTTING TORCH)

Product Code	Product Description	Gas Type	Cutting Capacity
741 M	Cutting Torch	Oxygen - Natural Gas	3 - 100 mm
742 M	Cutting Torch (for straight cutting)	Oxygen - Natural Gas	3 - 100 mm

742 M

CUTTING NOZZLES (OXYGEN - NATURAL GAS)



Product Code	Cutting Thickness	Cutting Space	Oxygen Pressure	Natural Gas Pressure
752 M	3 - 20 mm	2 mm	2,5 - 4 bar	0,3 bar
753 M	20 - 50 mm	3 mm	4 - 5 bar	0,3 bar
754 M	50 - 100 mm	4 mm	5 - 6 bar	0,3 bar
751 M	3 - 100 mm	Copper Hive		
755 M	3 - 100 mm	Cutting Nozzles Set Oxygen - Natural Gas		

755 M

730 M



COMPASS & CARRIAGE SET

Product Code	Product Description
730 M	Compass & Carriage Set
731 M	Compass Set (for straight cutting)

731 M



743 M

744 M



CUTTING TORCH SETS (OXYGEN - NATURAL GAS)

Product Code	Product Description
743 M	Cutting Torch Set Oxygen - Natural Gas (without carriage) Shank (Handle) Cutting Torch Oxygen - Natural Gas (only Cutting Torch) Cutting Nozzles Set Oxygen - Natural Gas
744 M	Cutting Torch Set Oxygen - Natural Gas Shank (Handle) Cutting Torch Oxygen - Natural Gas (only Cutting Torch) Cutting Nozzles Set Oxygen - Natural Gas Compass & Carriage Set

711 M



INDUSTRY TYPE CUTTING TORCHES(OXYGEN -NATURAL GAS)

Product Code	Cutting Capacity	Oxygen Connection	Natural Gas Connection	Length
711 M	3 - 300 mm	G 1/4"	G 3/8" Left	55 cm
716 M	3 - 300 mm	G 1/4"	G 3/8" Left	70 - 80 - 90 cm
717 M	3 - 300 mm	G 1/4"	G 3/8" Left	100 - 140 cm
718 M	3 - 300 mm	G 1/4"	G 3/8" Left	150 - 180 cm
719 M	3 - 300 mm	G 1/4"	G 3/8" Left	210 cm
713 M	3 - 300 mm	G 1/4"	G 3/8" Left	55 cm

713 M



INDUSTRY TYPE THREE PIPES CUTTING TORCHES (OXYGEN -NATURAL GAS)

Product Code	Cutting Capacity	Oxygen Connection	Natural Gas Connection	Length
710 M	3 - 300 mm	G 1/4"	G 3/8" Left	50 cm
710L_M	3 - 300 mm	G 1/4"	G 3/8" Left	75 cm
710L2_M	3 - 300 mm	G 1/4"	G 3/8" Left	100 cm
710L3_M	3 - 300 mm	G 1/4"	G 3/8" Left	150 cm

710 M



721 M



722 M



723 M



724 M



725 M



728 M



729 M



INDUSTRY TYPE CUTTING NOZZLES (OXYGEN -NATURAL GAS)

Product Code	Cutting Thickness	Oxygen Pressure	Natural Gas Pressure
721 M	3 - 20 mm	4 bar	0,3 - 1 bar
722 M	20 - 50 mm	5 bar	0,3 - 1 bar
723 M	50 - 100 mm	6 bar	0,3 - 1 bar
724 M	100 - 200 mm	6 bar	0,3 - 1 bar
725 M	200 - 300 mm	7 bar	0,3 - 1 bar
728 M	Industry Type Copper Hive (using with 721 M - 722 M)		
729 M	Industry Type Copper Hive (using with 723 M - 724 M - 725 M)		

NOZZLE-MIX CUTTING TORCHES (OXYGEN -NATURAL GAS)

Product Code	Cutting Capacity	Oxygen Connection	Natural Gas Connection	Length
715 M	3 - 500 mm	G 1/4"	G 3/8" Left	50 cm
715L M	3 - 500 mm	G 1/4"	G 3/8" Left	75 cm
715L2 M	3 - 500 mm	G 1/4"	G 3/8" Left	100 cm
715L3 M	3 - 500 mm	G 1/4"	G 3/8" Left	150 cm

715 M



240 M



241 M



242 M



243 M



244 M



245 M



246 M



247 M



NOZZLE-MIX CUTTING NOZZLES (OXYGEN -NATURAL GAS)

Product Code	Cutting Thickness	Oxygen Pressure	Natural Gas Pressure
240 M	3 - 6 mm	2,5 - 3,5 bar	0,3 - 1 bar
241 M	5 - 12 mm	3 - 4 bar	0,3 - 1 bar
242 M	10 - 75 mm	4 - 5 bar	0,3 - 1 bar
243 M	70 - 100 mm	4,5 - 5,5 bar	0,3 - 1 bar
244 M	90 - 150 mm	5 - 6 bar	0,3 - 1 bar
245 M	140 - 200 mm	6 - 6,5 bar	0,3 - 1 bar
246 M	190 - 300 mm	6,5 - 7,5 bar	0,3 - 1 bar
247 M	300 - 500 mm	6,5 - 7,5 bar	0,3 - 1 bar



WELDING ATTACHMENTS (OXYGEN-NATURAL GAS)

Product Code	Welding Attachment Nr.	Welding Capacity	Oxygen Pressure	Natural Gas Pressure
820 M	No:0	0,2-0,5 mm	2,5 bar	0,3 - 1 bar
821 M	No:1	0,5-1mm	2,5 bar	0,3 - 1 bar
822 M	No:2	1-2 mm	2,5 bar	0,3 - 1 bar
823 M	No:3	2-4 mm	2,5 bar	0,3 - 1 bar
824 M	No:4	4-6 mm	2,5 bar	0,3 - 1 bar
825 M	No:5	6-9 mm	2,5 bar	0,3 - 1 bar
826 M	No:6	9-14 mm	2,5 bar	0,3 - 1 bar
827 M	No:7	14-20 mm	2,5 bar	0,3 - 1 bar
828 M	No:8	20-30 mm	2,5 bar	0,3 - 1 bar



WELDING NOZZLES (OXYGEN -NATURAL GAS)

Product Code	Nozzle Nr.	Welding Capacity	Oxygen Pressure	Natural Gas Pressure
830 M	No:0	0,2-0,5 mm	2,5 bar	0,3 - 1 bar
831 M	No:1	0,5-1mm	2,5 bar	0,3 - 1 bar
832 M	No:2	1-2 mm	2,5 bar	0,3 - 1 bar
833 M	No:3	2-4 mm	2,5 bar	0,3 - 1 bar
834 M	No:4	4-6 mm	2,5 bar	0,3 - 1 bar
835 M	No:5	6-9 mm	2,5 bar	0,3 - 1 bar
836 M	No:6	9-14 mm	2,5 bar	0,3 - 1 bar
837 M	No:7	14-20 mm	2,5 bar	0,3 - 1 bar
838 M	No:8	20-30 mm	2,5 bar	0,3 - 1 bar



HEATING ATTACHMENTS (OXYGEN -NATURAL GAS)

Product Code	Heating Attachment Nr.	Heating Thickness	Oxygen Pressure	Natural Gas Pressure	Length
853 M	3	1-2 mm	4 bar	0,3 - 1 bar	160 mm
855 M	5	2-4 mm	5 bar	0,3 - 1 bar	160 mm
858 M	8	4-8 mm	5 bar	0,3 - 1 bar	300 mm
860 M	10	8-10 mm	5 bar	0,3 - 1 bar	300 mm
862 M	H-1	2-10 mm	1-2 bar	0,3 - 1 bar	430 mm
864 M	H-2	10-20 mm	2-3 bar	0,3 - 1 bar	430 mm
865 M	H-3	20-30 mm	2-5 bar	0,3 - 1 bar	580 mm
866 M	H-4	30-50 mm	3-6 bar	0,3 - 1 bar	580 mm
867 M	H-5	50-100 mm	4-8 bar	0,3 - 1 bar	580 mm



HEATING NOZZLES (OXYGEN -NATURAL GAS)

Product Code	Nozzle Nr.	Heating Thickness	Oxygen Pressure	Natural Gas Pressure
873 M	3	1-2 mm	4 bar	0,3 - 1 bar
875 M	5	2-4 mm	5 bar	0,3 - 1 bar
878 M	8	4-8 mm	5 bar	0,3 - 1 bar
880 M	10	8-10 mm	5 bar	0,3 - 1 bar
881 M	H-1	2-10 mm	1-2 bar	0,3 - 1 bar
883 M	H-2	10-20 mm	2-3 bar	0,3 - 1 bar
885 M	H-3	20-30 mm	2-5 bar	0,3 - 1 bar
886 M	H-4	30-50 mm	3-6 bar	0,3 - 1 bar
887 M	H-5	50-100 mm	4-8 bar	0,3 - 1 bar

810 M



809 M



808 M



807 M



806 M



805 M



NATURAL GAS HEATING BURNERS

Product Code	Burner Size	Connection Size	Flame Length
805 M	20 mm	M20x1	15 cm
806 M	25 mm	M20x1	20 cm
807 M	30 mm	M20x1	22 cm
808 M	36 mm	M20x1	25 cm
809 M	45 mm	M20x1	38 cm
810 M	57 mm	M20x1	45 cm

804 M



803 M



802 M



801 M



800 M



NATURAL GAS HEATING NECKS

Product Code	Neck Size	Burner Connection Size	Shank Connection Size
800 M	10 cm	M20x1	G3/8"
801 M	20 cm	M20x1	G3/8"
802 M	30 cm	M20x1	G3/8"
803 M	40 cm	M20x1	G3/8"
804 M	50 cm	M20x1	G3/8"

844 M



843 M



842 M



841 M



840 M



799 M



NATURAL GAS SHANKS

Product Code	Neck Size	Burner Connection Size	Inlet Connection
799 M	G3/8"	-	8 mm
840 M	10 cm	M20x1	8 mm
841 M	20 cm	M20x1	8 mm
842 M	30 cm	M20x1	8 mm
843 M	40 cm	M20x1	8 mm
844 M	50 cm	M20x1	8 mm

564 M



563 M



562 M



561 M



560 M



798 M



NATURAL GAS SHANKS (WITH TRIGGER)

Product Code	Neck Size	Burner Connection Size	Inlet Connection
798 M	G3/8"	-	8 mm
560 M	13 cm	M20x1	8 mm
561 M	20 cm	M20x1	8 mm
562 M	33 cm	M20x1	8 mm
563 M	45 cm	M20x1	8 mm
564 M	75 cm	M20x1	8 mm

848 M



NATURAL GAS HEATING TORCH SET (AIR SUPPLY)

Product Code	Length Size	Air Connection	Natural Gas Connection
848 M	250 mm	G 1/4"	G 3/8" Left
849 M	500 mm	G 1/4"	G 3/8" Left
850 M	750 mm	G 1/4"	G 3/8" Left



EVREN GAS ARMATURES INDUSTRY & TRADE CO.

Dudullu OSB Mh. İmes San. Sit. A. Blok 106 Sk. No: 10-12 Ümraniye / İstanbul / TÜRKİYE
Tel.: +90 216 364 11 22 - 314 98 42 - 415 23 39 Fax: +90 216 415 23 40
Web: www.evrengaz.com E-mail: info@evrengaz.com